

# SUBJECT INDEX

## A

- Aaroniella, 179  
 Acanthoecelides obtectus, 260  
 Acari, 1-28  
 Acaricides, 364  
 Accessory glands, 104  
 Acoustic  
   receptors, 297  
   signals, 297-317  
 Acquisition of viruses, 73  
 Acyrthosiphon pisum, 73-74,  
   158-59  
 Adipokinetic hormone, 391  
 Aedes, 275, 287-88  
   aegypti, 218, 224, 275  
 Aerial movements, 357, 362  
 Africanized bees, 431  
 Agallia constricta, 75  
 Agapema gablina, 375  
 Age structure of tsetse, 203-5,  
   207-8, 211  
 Ageniapis fuscicollis, 381  
 Aggregation  
   pheromones, 4-5, 258, 262  
   signals, 308  
 Aggregations  
   of cicadas, 307  
   of Halobates, 126-27  
   of stored-product insects, 258,  
   262  
 Air sacs, 302-4  
 Alaptus, 177  
 Alarm  
   pheromones, 2, 23, 159  
   signals, 306-7  
 Alary dimorphism, 161, 166  
 Aleochara curtula, 281  
 Allantoin, 30  
 Allatectomy, 378, 390  
 Allatotropins, 389  
 Allen's rule, 428  
 Allomones, 1-2, 22-23  
 Allopatric  
   populations, 219  
   speciation, 229  
 Allozymes, 219, 224-26  
 Alsophila pometaria, 223  
 Altitude and psocids, 187-88,  
   191  
 Altosid, 397  
 Altozar, 397  
 Alysia manducator, 382-83  
 Amblyomma, 23, 450  
   albolimbatum, 7, 21  
   americanum, 17  
   hebraeum, 22  
   limbatum, 3, 7, 21  
   maculatum, 7, 12  
   marmoreum, 4  
   variegatum, 4, 17, 22, 287,  
   290-91  
 Amblyseius  
   addoensis, 352-54  
   bibens, 347-49, 351  
   brevipes, 347  
   canadensis, 353  
   citri, 353  
   fallacis, 348-50, 352, 354,  
   356, 358-59, 361  
   finlandicus, 2  
   masiaka, 347  
   novaescotiae, 353  
   potentillae, 2, 350, 354  
 Amino acids, 380  
 Ammonia, 29-31, 39, 43, 46  
 Amphientomum, 181  
 Amphigerontia  
   bifasciata, 191, 193  
   contaminata, 191  
 Amphipsocia, 181  
 Amphorophora idaei, 158  
 Amputation and walking, 244  
 Amrasca devastans, 308-9  
 Anacridium aegyptium, 383,  
   388-89  
 Anagasta kuehniella, 261, 263,  
   265, 267, 374, 376, 392  
 Anasa tristes, 382  
 Anastrepha suspensa, 374, 377,  
   395, 399  
 Andrena, 383  
 Androcyclic aphids, 156, 159  
 Angitia nana, 382  
 Anholocyclic aphids, 155, 159  
 Anopheles, 224, 284  
   arabiensis, 224  
   gambiae, 224  
 Antarctopocus, 185  
 Anthrenus, 260, 264, 267  
   flavipes, 260, 264  
 Antibacterial factors, 64  
 Antibiosis, 220  
 Antibiotics, 36, 94  
 Antibodies, 58  
 Anti-juvenile hormones, 393,  
   396, 400-2  
 Ants  
   and eusociality, 324-31, 333-  
   36  
   and forensic entomology,  
   148-49  
   and genetic variation, 226-27  
   and morphometrics, 427  
   and psocids, 176  
 Anyasis, 176  
 Apanteles  
   bignellii, 374, 379, 382  
   congregatus, 374, 376, 378,  
   380-82, 384, 391, 394,  
   396, 398, 400-3  
   glomeratus, 374, 376, 384  
   melanoscelus, 393-94  
   rubecula, 394, 398  
   imerinithi, 392  
 Aphacreta minuta, 382  
 Aphidius, 401  
   nigripes, 395, 399  
   platensis, 382, 385-86  
 Aphids  
   and genetic variation, 218,  
   222, 227  
   and morphometrics, 424-25,  
   431  
   and Neuroptera, 177  
   and parasitism, 385-86, 399  
   and population structure, 155-  
   74  
   and sex determination, 390  
   and sound, 299  
   and viruses, 72-75, 77-82  
   and wings, 96, 166  
 Aphis  
   craccivora, 382, 385-86  
   fabae, 166  
 Aphytis holoxanthus, 395-96  
 Apis, 289, 327-29, 333  
   cerana, 431  
   dorsata, 431  
   laboriosa, 431  
   mellifera, 273, 275, 278, 328,  
   423, 429, 431  
 Apolysis, 94, 379  
 Aponomma hydrosauri, 3, 7, 21  
 Aposymbiotic cockroaches, 36  
 Appendages and morphogenesis,  
   96  
 Arboreal Psocoptera, 175-96  
 Arctocoris carinata, 431  
 Arenivaga, 39  
 Argas  
   cooleyi, 3  
   persicus, 3  
   walkerae, 4, 18  
 Arrestant pheromones, 5-6  
 Arrhenotoky, 348-49, 351  
 Arylphorins, 390-91  
 Asclepios shirami, 112

- Asiopsocus*, 179  
 Assembly pheromones, 2-4, 17-18  
*Assistor virus*, 72, 78-79  
*Astegopteryx styracicola*, 162  
*Atlantopsocus*, 180  
 Attachment pheromones, 4-5  
*Attagenus*  
   *elongatus*, 260, 265  
   *megatoma*, 265  
   *unicolor*, 258, 260-61  
 Attractant pheromones, 5-8  
*Austropsocus*, 185  
*Autographa californica*, 61  
 Axons, 92, 98  
*Azadirachtin*, 402  
*Azasteroids*, 402  
*Azinphosmethyl*, 354-55, 358  
**B**  
*Babesiosis*, 439-456  
*Bacillus*  
   *popilliae*, 53  
   *sphaericus*, 55, 57  
   *thuringiensis*, 55-59, 64  
*Bacilus rosius*, 99  
 Bacteria and genetic engineering, 55  
*Bacteroids*, 36  
*Baculoviruses*, 60-63, 65  
*Badonnelia*, 178  
*Bathyplectes*, 222  
*Beauveria bassiana*, 60  
 Bed bugs, 277  
*Bees*  
   and diploidy, 350  
   eusociality, 324-29, 331-33  
   and morphometrics, 424-25, 429-31  
 Beetles and viruses, 76, 82  
*Belanogaster*, 323  
*Belapha*, 181  
*Bemisia tabaci*, 75  
*Benomyl*, 356, 359  
 Bergmann's rule, 428  
*Bibiocephala*, 430  
 Biogeography of Psocoptera, 175-96  
 Biological control and Phytoseiidae, 345-70  
 Biological  
   insecticides, 51-70  
   races, 218  
*Bioresmethrin*, 356  
*Biosteres longicaudatus*, 374, 377, 380, 395, 399  
 Biotypes  
   of aphids, 156  
   and genetic variation, 217-18, 222, 225, 227  
*Biston betularia*, 221  
 Black flies, 428  
*Blaste*, 182  
*Blastoderm*, 90  
*Blastopsocidius*, 181  
*Blattella germanica*, 33, 38, 46  
 Blow flies, 94, 97, 139-45, 151  
*Bombus*, 334, 429-30  
   *affinis*, 333  
   *atratus*, 325  
   *hypnorum*, 326  
   *terrestris*, 325-26, 332  
   *terricola*, 333  
*Bombyx*, 99  
   *mori*, 151, 373, 375, 390, 402  
*Boophilus microplus*, 453  
*Borborids*, 145  
 Brooks-Dyar rule, 421-22  
*Bupalus pinarius*, 375, 379-80  
 Bush flies, 428  
**C**  
*Cacoecia rosana*, 375  
*Cadra*  
   *cautella*, 259, 261, 263-64, 266-67  
   *figulilella*, 261  
*Caecilius*, 181, 183  
   *flavidus*, 189  
   *pallidobrunneus*, 189  
 Calling signals, 307-8  
*Calliphora*, 94, 97  
   *erythrocephala*, 382  
   *vicina*, 144, 382  
*Calliphoridae*, 151  
*Calocaeilius*, 178  
*Calopsocus*, 178, 186  
*Calpodes*, 98, 101  
*Camelopsocus*, 178, 180  
*Campaniform sensilla*, 245-52  
*Campoletis sonorensis*, 392, 394  
 Cannibalism, 35, 121, 127, 352  
 Canonical variate analysis, 417  
*Cantharides*, 150  
*Carausius*, 282, 284, 391  
   *morosus*, 285, 287  
 Carbamates and Phytoseiidae, 355-56  
 Carbaryl resistance, 356, 358-64  
*Cardiophiles nigriceps*, 374, 392, 394  
 Caste determination, 325-28  
*Cataglyphis cursor*, 330  
 Catecholamines, 12, 14-15  
*Cavariella aegopodii*, 78  
*Cecropius*, 64  
*Ceratina*  
   *acantha*, 424  
   *dupla*, 419  
*Ceratitis capitata*, 374, 377, 402  
*Cerobasis*, 190  
   *questalicus*, 193  
*Ceroplastis floridensis*, 396  
*Chaetosiphon jacobii*, 74  
*Chelonus*, 403  
   *annulipes*, 374, 382  
   *curvimaculatus*, 374, 382, 387, 392  
   *inaitus*, 382  
 Chemical communication, 1-28  
 Chemoreception, 18  
 Chemoreceptors, 274-75, 278  
 Chiggers, 146  
*Chironomus*, 103, 430  
 Cholesterol, 400, 402  
*Chordotonal*  
   organs, 245-48, 250-51  
   *sensilla*, 300, 306  
*Choristoneura*, 218, 221  
   *fumigerana*, 394  
 Chromosomes  
   of *Halobates*, 112  
   and morphometrics, 428  
   of *Phytoseiidae*, 346-49, 351  
   and races, 423, 431  
*Chrysomela*, 218  
*Chrysomphalus aonidum*, 395-96  
*Chrysomya*  
   *albiceps*, 143  
   *chloropyga*, 143  
   *megacephala*, 140, 143  
   *ruficollis*, 140, 143  
*Cicada orni*, 312  
*Cicadas*, 300-9, 312  
*Cicadatra*, 301  
   *atra*, 302  
*Cimex*, 284  
 Circulative viruses, 75-78, 80  
 Circulatory system, 100  
*Circulifer tenellus*, 75  
*Citral*, 2  
*Citrinellol*, 5  
*Clavidromus*, 347  
*Clematoscenea*, 186  
*Clinocentrus gracilipes*, 382, 392  
 Clonal  
   polymorphism, 157  
   structure, 160-67  
*Clytiomyia bellua*, 382, 388  
*Coccophagus pulvinariae*, 396  
*Cochliomyia macellaria*, 151  
 Cockroaches, 29-49, 97-98, 102, 105, 148-49  
   and receptors, 276, 284  
   and walking, 242, 245-46, 250, 252  
 Codling moth, 223, 225, 227  
*Coelocnemis*, 427  
*Coenonympha tullia*, 425  
 Coevolution, 227-28  
 Cold hardness, 159, 163, 353  
*Colias*  
   *eurytheme*, 223  
   *philodice*, 223  
*Coliophora laricella*, 382

- Colophina, 162  
 Color morphs, 221  
 Colorado potato beetle, 401  
 Communication  
   in Acari, 1-28  
   in Homoptera, 297-317  
 Compaction, 400  
 Competitiveness in tsetse, 209  
 Compound eyes, 97-98  
 Compsilura concinnata, 374, 379  
 Computers and morphometrics, 416  
 Confusants, 22  
 Conomorium patulum, 396  
 Contact pheromones, 8  
 Control of stored-product insects, 257-72  
 Coordination of walking, 246-47, 251-53  
 Copidosoma, 403  
   bakeri, 382  
   truncatellum, 382, 384  
 Copostigma, 186  
 Copulation  
   in Acari, 8  
   in Halobates, 127  
 Corcya cephalonica, 266  
 Corn leaf aphid, 159  
 Corpora allata, 13, 102, 334, 378-79, 387-90, 400  
 Corpora cardiaca, 388, 391  
 Courtship, 18-19, 23  
   signals, 308-9  
 Coxal glands, 4, 8  
 Crematogaster, 176  
   impressa, 329  
 Cresols, 7, 17  
 Cross-protection, 82-84  
 Cross-resistance, 355-56, 358  
 Crowding  
   of aphids, 159, 166  
   of stored-product insects, 267  
 Cryptolestes ferrugineus, 260  
 Ctenopocus, 181  
 Culicinomyces clavosporus, 60, 62  
 Cuticle, 90, 93-95, 380  
 Cyclic AMP, 15  
 Cyhexatin, 364  
 Cymatopocus, 190  
 Cypermethrin, 359-60  
 Cystosoma saundersii, 302, 307-9  
 Cytogenetics of Phytoseiidae, 345, 347-49
- D**  
 Dalbulus maidis, 76-77  
 Dasymedella, 183  
 DDT, 125, 356  
 Decamethrin, 205  
 Demeton, 354  
 Demodea  
   brevis, 147  
   folliculorum, 147  
 Dendrites, 277-81, 283-86  
 Dendroctonus, 221-22  
 Density dependence  
   factors, 219  
   in tsetse, 198-200, 204, 206-9  
 Density of stored-product insects, 267  
 Dermacentor  
   andersoni, 6, 19-20  
   variabilis, 6-7, 12, 19-20, 400, 450-51  
 Dermal glands, 95  
 Dermatophagoides pteronyssinus, 149  
 Dermestes, 143  
   haemorrhoidalis, 146  
   lardarius, 146  
 Developmental biology, 89-109  
 Diachasma tryoni, 374, 377  
 Dialictus zephyrus, 324  
 Diampibia locusta, 150  
 Diapause  
   hormone, 373  
   and parasitism, 373, 379-80, 399  
   and photoperiod, 223  
   of Phytoseiidae, 353-54, 358, 360, 364  
 Diceroprocta apache, 306  
 Dichlorophenol, 6-8, 12-17, 19-20  
 Differentiation and development, 93  
 Digitizers and morphometrics, 416  
 Dimethoate, 354-55, 358-59, 361  
 Diplazon fissorius, 383, 387  
 Discriminant analysis, 431  
 Disease transmission by ticks, 439-60  
 Dispersal  
   by aphids, 161-62, 166-67  
   of Phytoseiidae, 357  
   of stored-product insects, 265  
 Distribution  
   of Psocoptera, 175-96  
   of tsetse, 197  
   Diuretic hormone, 45  
   DNA, 51-52, 57-58, 61-62, 64, 66, 78, 80, 94, 95, 378  
   Dolabellopsocus, 183  
   Dolichoderus quadripunctatus, 330-31  
   Dolichovespula, 326  
   Dominicalure, 258, 262  
   Dopamine, 12, 15  
   Drepanosiphum platanoideis, 163  
   Drones, 425  
 Drosophila, 64-65, 91-94, 100, 103, 122, 221-26, 277, 285, 297, 374, 377, 390, 415, 423, 425, 428  
   arizonensis, 225  
   melanogaster, 112, 220, 223-25, 425  
   mojavensis, 225  
   persimilis, 225  
   pseudoobscura, 226  
   tripunctata, 223  
   willistoni, 226  
 Drymopocus, 184-85  
 Dufour's gland, 333  
 Dyar's rule, 421  
 Dytiscus marginalis, 149
- E**  
 Ecdysis  
   and development, 102, 104  
   and parasitism, 376-77, 381, 387-88, 391, 398  
 Ecdysone, 13-15, 376, 378-80, 384, 386, 396-97  
 Ecdysteroids, 13-14, 372-73, 375, 377-81, 385, 387-90, 396-97, 402-3  
 Eciton hamatum, 331  
 Eclosion, 387, 398, 402  
   hormone, 377, 380, 388  
 Ectoprocopsis, 181  
   briggsi, 192  
 Egg parasites, 373-75  
 Eggs of Halobates, 113-14  
 Electrophoresis, 301, 423, 430-31  
 Eleodes, 427  
 Elipsocus  
   hyalinus, 189, 193  
   mclachlani, 188-91, 193  
   westwoodi, 189-91, 193  
 Embryogenesis, 90, 92, 102, 375, 397  
 Empoasca, 311  
 Encapsulation, 65-66  
 Enchenopa, 218  
   binotata, 230  
 Encyrtus infelix, 395  
 Endocrine  
   glands, 102  
   interactions, 371-413  
   regulation, 371  
 Endomeiosis, 155, 168  
 Endoparasitic insects, 371-413  
 Endosulfan, 205  
 Endotoxin, 55-56  
 Enterobacter, 65  
 Environmental variation, 425  
 Eolachesis, 184  
 Ephestia, 97  
   elutella, 261, 267

- Kuehniella, 261, 263, 265,  
 267, 374, 376, 392  
 Epiblema tedella, 385  
 Epicuticle, 93  
 Epideictic hormone, 267  
 Epidemiology  
   of babesiosis, 447-49  
   of Lyme disease, 447-49  
 Epidermal cells, 92-95, 97  
 Epidermis, 91-97, 101, 103,  
 105  
 Episcocopsis, 181, 185-86  
 Epistrophe bifasciata, 383, 387  
 Epofenonane, 396  
 Epoxides, 400  
 Equilibrium of tsetse popula-  
 tions, 198-200  
 Eradication of tsetse, 198, 205,  
 211  
 Eriophyes tulipae, 75  
 Erythrocytes and Babesia, 452  
 Esterases, 158  
 Estivation in aphids, 162-63  
 ETB, 396, 401  
 Etiology  
   of babesiosis, 444-45  
   of Lyme disease, 444-45  
 Eucarcelia rutilla, 375, 379-80  
 Eucelatoria, 394  
 Euphorieilla, 177  
 Euphydryas  
   aurinia, 374, 379, 382  
   editha, 223  
 Euphyllodromia, 32  
 Eupithecia, 177  
 European face fly, 423-24, 428  
 Eurygaster integriceps, 382, 388  
 Eurytoma curta, 383  
 Euscelis, 311  
 Euseius, 347  
   hibiaci, 350  
 Eusociality in Hymenoptera,  
 319-43  
 Euxoa ochrogaster, 382  
 Evolution of eusociality, 320-21  
 Evylaeus  
   linearis, 324-25  
   malachurus, 325  
   marginatus, 325  
 Excretion  
   by cockroaches, 29-49  
   by termites, 43-44  
 Exeristes comstockii, 396-97  
 Exotoxin, 56  
  
**F**  
 Fall webworm, 401  
 Fannia, 144-46  
 Farnesyl methyl ether, 396  
 Fat body, 33, 35-37, 39-43, 46,  
 61, 64-67, 75, 101, 163,  
 191, 265, 384, 388, 390-91  
 Fat reserves, 204  
 Fatty acids, 130  
 Feeding  
   attractants, 54  
   of Ixodes, 441  
   of tsetse, 202  
 Fenvalerate, 356, 359, 361  
 Fitness, 320  
 Fleas, 148-49, 372  
 Flight, 166, 200, 202, 208, 265  
   muscles, 102-3, 200  
 Fluoromevalonolactone, 396-97,  
 400-1  
 FMev, 396-97, 400-1  
 Foregut, 100  
 Forensic entomology, 137-54  
 Formica, 331  
 Fossil Psocoptera, 175, 178  
 Foveal glands, 8, 12  
 Fulgora lanternaria, 299  
 Fulleborniella, 181  
 Fungi and genetic engineering,  
 55, 60  
  
**G**  
 Gait, 240, 244, 248, 252  
 Galleria, 94, 98, 103  
   bioassay, 384  
   mellonella, 374, 377-78, 383,  
   394, 398  
 Galls, 160, 424  
 Gamergates, 336  
 Gametocytes of Babesia, 451-  
 52, 454  
 Ganglia, 98, 252  
 Gene  
   cloning, 58  
   expression, 390  
   flow, 218-21, 224, 227-28,  
   356  
 Genetic  
   drift, 218-19  
   engineering, 51-70, 358, 365  
   improvement, 345-70  
   masking, 79, 84  
   polymorphism, 218-19  
   variation, 157, 217-38, 423-  
   25  
 Genetics  
   and morphometrics, 423-25  
   of Phytoseiidae, 345-70  
 Genotypes of aphids, 156, 160,  
 223  
 Geographic variation, 423, 428,  
 430  
 Geraniol, 19  
 Gerris, 122, 130  
   remigis, 131  
 Gibbopsocus, 178  
 Glossina, 197-216  
   morsitans, 199, 202, 204,  
   206-8  
 pallidipes, 209  
 palpalis, 203, 206-10  
 swynnertoni, 206  
 tachinoides, 199, 205  
 Glycogen, 391  
 Glycoprotein, 57  
 Glypta fumiferanae, 394  
 Gonads, 104  
 Gonia cinerascens, 374, 377-78,  
 380, 398  
 Grasshoppers and mor-  
 phometrics, 423-24, 430-  
 31  
 Greenbug, 158  
 Gregariousness, 127  
 Group selection, 320  
 Growth  
   allometry, 104  
   rate, 422  
  
**H**  
 Habrobracon, 350  
   juglandis, 396  
 Hair  
   plates, 245, 249-50  
   sensilla, 245-46, 250  
 Halictus ligatus, 324  
 Haller's organ, 7, 16-17  
 Halobates, 111-35  
   acherontis, 115  
   acherontis, 117  
   esakii, 115  
   eschsoltzi, 115, 118-19  
   fijiensis, 117, 130  
   flaviventris, 113-14, 118,  
   124, 127-30  
   germanus, 118, 120-221,  
   128, 130  
   hawaiiensis, 115, 118, 124  
   hayanus, 118  
   herringi, 115  
   maculatus, 117  
   mangrovensis, 115  
   mariannarum, 115, 117-18,  
   122, 127  
   melleus, 115  
   micans, 114, 117-22  
   nereis, 117  
   robustus, 117-18, 122, 124,  
   126-27  
   sericeus, 119-20, 122-24,  
   129-31  
   sobrinus, 114, 120, 122, 125,  
   129  
   splendens, 120  
   trynne, 115, 118-19  
 Haplodiploidy, 320  
 Haploidy, 326, 328-29, 351  
 Haplophallus, 179, 185  
 Harmonia axyridis, 224  
 Harpagoxenus americanus, 331  
 Harpezoneura, 181

- HDA, 264  
Heart, 100-1  
Heliothis  
  armigera, 394  
  virescens, 66, 225, 375, 378,  
  386, 392, 394, 399, 402  
Helper factors, 72, 77-78, 83  
Hemineura  
  bigoti, 180  
  dispar, 180  
  hispanica, 180  
Hemipocus roseus, 189  
Hemocoel, 65, 92  
Hemocytes, 61, 66, 93, 101,  
  392  
Hemolymph, 30, 34, 39-40, 43-  
  45, 63-64, 101, 103, 129-  
  30, 381, 384, 390-92, 400  
Hermetia illucens, 146  
Hessian fly, 222  
Heterozygosity, 425  
Hexacyrtoma, 178, 181  
Hexadecalactone, 333  
Hexadecenal, 265  
Hiemalus, 163  
Hindgut, 100  
Hindwings, 185  
Hirsutiella thompsonii, 60  
Histoblasts, 90, 94, 101-3  
Hofmannophila pseudospretella,  
  147  
Holocyclic aphids, 155, 159  
Homeostasis, 29, 425  
Honey bees and receptors, 275,  
  277  
Honeydew molds, 191  
Hormones  
  and excretion, 30  
  and morphogenesis, 93  
  and parasites, 371-413  
Host-plant resistance, 158  
Host  
  preferences, 228  
  races, 217-18, 223-24, 227,  
  314  
  range of ticks, 442  
Humidity receptors, 273-95  
Hyalomma  
  anatolicum, 7, 21  
  dromedarii, 3, 6-7, 13-14, 21  
Hyalophora cecropia, 65  
Hybrids, 313-14, 365  
Hydrachnia conjuncta, 18  
Hydrofuge hairs, 129-30  
Hydroprene, 394-96, 399  
Hydroreceptors, 17, 273-95  
Hypera postica, 395  
Hyperomyzus lactucae, 74, 81  
Hyphantria cunea, 218  
Hypodermis, 61  
Hypostoter  
  exiguus, 374, 379, 382, 391,  
  394  
  fugitivus, 374, 379  
Hypoxanthine, 36, 38  
  
I  
Imaginal  
  discs 90-91, 94, 96, 103-5  
  ring, 100  
Imblattella, 32  
Immune response, 63-64, 66  
Inbreeding of Phytoseiidae, 349-  
  50  
Independent transmission of  
  viruses, 72-77  
Indiopsocus, 182  
  acraeus, 183-84  
  dentatus, 183-84  
  expansus, 183  
  texanus, 184  
Inoculation of viruses, 73  
Insect growth regulators, 393-  
  402  
Insecticide resistance, 157, 159-  
  60, 227, 348-49, 353-54  
Instars and morphometrics, 419-  
  23  
Integument, 93  
Interactive transmission  
  of prokaryotes, 82-83  
  of viruses, 80-83  
Interferon, 62  
Intersexes, 390  
Intraspecific variability, 353-54  
Inversion frequencies, 224  
Iphiaeius, 347  
IPM of Phytoseiidae, 364-65  
Ipomoea, 223  
Iridomyrmex humilis, 335  
Ischnoptera, 32, 42  
Isophanopsis, 182  
Isthmopsocus, 183  
Ixodes, 439-60  
  dammini, 439-60  
  muris, 440, 455-56  
  pacificus, 450  
  persulcatus, 439  
  ricinus, 3, 18, 450, 453  
  scapularis, 440, 450  
  trianguliceps, 453  
  
J  
Japanese beetle, 53  
Javesella  
  azorica, 310  
  pellucida, 75, 310  
Juvenile hormone esterase, 384-  
  85, 387, 400  
Juvenile hormones, 13, 334,  
  336, 372-81, 384-86, 389-  
  90, 394-96, 398-400  
Juvenoids, 375, 378, 393-96,  
  400-2  
  
K  
Kaestneriella, 182  
Kairomones, 1-2  
Kilauea, 187  
Karyology, 423-24, 430-31  
Keiferia lycopersicella, 394  
Kinoprene, 394-95  
Kin selection, 320-21, 336  
  
L  
Labocoria, 181  
Lachesilla, 182-83, 189  
Lampyris, 390  
Laodelphax striatellus, 310  
Lasioderma serricorne, 259-60,  
  262, 265  
Lasioglossum  
  marginatum, 324  
  zephyrum, 324  
Lasius, 330  
Laspeyresia pomonella, 223  
Latrobiella, 179  
Leafhoppers  
  and acoustic signals, 307-9,  
  311  
  and mycoplasmas, 76-77, 82-  
  83  
  and prokaryotes, 82-83  
  and viruses, 75, 80, 82  
Leg movements, 239-56  
Leiophron, 177  
Leptinotarsa decemlineata, 222  
Leptothorax  
  allardycei, 331  
  nylanderii, 331  
Leucophaea, 39  
  maderae, 284-85  
Lice, 147, 218, 228, 430  
Life tables, 363-64  
Light traps, 263, 428  
Lipara lucens, 383  
Lipids, 130, 391  
Liposcelis, 192  
Liriomyza  
  brassicarum, 223  
  sativae, 223, 395  
Locusta, 101, 402  
  migratoria, 273, 275-78, 282,  
  285, 287, 289, 391  
Locusts  
  and morphometrics, 428  
  and receptors, 275, 281, 284  
  and walking, 242-43, 246-48,  
  252  
Loemisa, 190  
  bifasciata, 193  
  fasciata, 193  
Longidorus elongatus, 80  
Lucilia sericata, 142, 383  
Lures, 22, 259  
Lygus, 424

- Lymantria dispar*, 374, 379  
 Lyme disease, 439-60  
*Lyristes*, 301  
*plebeius*, 302, 312  
 Lysosomes, 93  
 Lysozyme, 36  
*Lytta vesicatoria*, 150
- M**
- Macrocentrus grandii*, 392  
*Macrosiphum euphorbiae*, 395  
*Macrostelis*, 311  
*fascifrons*, 82  
*Magidada*  
*cassini*, 302, 307, 309  
*septendecim*, 302-3, 307, 309  
 Male production, 325-31  
 Malpighian tubules, 29, 33, 43, 45, 65  
*Mamestra*, 284  
*brassicae*, 275, 287  
 Mandibular glands, 99, 331-32  
*Manduca*, 92, 94, 99  
*sexta*, 372, 374-75, 378-79, 381-84, 386, 391-92, 394, 396, 398, 401-2  
*Mascaropocus*, 182  
 Mating  
 in *Acari*, 4-8  
 disruption, 267  
 in *Halobates*, 127  
*Mayetiola destructor*, 222  
 Mechanoreceptors, 17-18, 244, 274, 280, 282, 287, 290  
*Meconium*, 101  
 Megalomoic acid, 261  
 Melanization, 401  
*Melipona*, 329  
 Mercury, 151  
*Mesopocus*, 176-77, 180-81, 188, 193  
 immunis, 188  
 montanus, 188  
 unipunctatus, 177, 188, 193  
 Metabolism and parasitism, 390-91  
 Metamorphosis  
 and development, 89, 90, 92-105  
 and juvenoids, 393  
 and parasitism, 371, 376, 378-81, 384-87, 393, 398-401, 403  
*Metamycia callota*, 383, 388  
*Metaphycus bartletti*, 396  
 Metapolybia, 335  
*aztecoides*, 327  
*Metaseiulus occidentalis*, 2, 348-64  
*Meteorus trachynotus*, 394  
 Methomyl, 356, 359  
 Methoprene, 386, 394-96, 398, 400  
 Methyl salicylate, 5, 7, 17  
 Mevalonate, 400  
 Microbial pathogens, 51-54  
*Microctonus*  
*aethioides*, 399  
*aethiops*, 395  
*nitidulidis*, 383  
*Microplitis croceipes*, 374, 378, 386-87, 392, 399-400, 402  
 Microsporidia and hormones, 372  
*Microstigma comes*, 322  
*Microtrichia*, 128-29  
 Microtubules, 281-82, 284-85  
 Midgut, 57, 61, 63, 99-100  
 Mimicry and morphometrics, 427  
*Mischocyttarus*, 323-24  
 Mines  
 and forensic entomology, 140, 147-49  
 and pheromones, 1-28  
 and psociids, 176  
 and viruses, 75-76  
 Mitochondria, 37  
 Mitotic spindles, 91  
*Mockfordiella*, 182  
 Molecular genetics, 52  
 Molting  
 and development, 102, 104  
 and parasitism, 376, 377, 381  
 Monarch butterfly, 423  
 Monitoring stored-product insects, 257-72  
 Monoclonal antibodies, 58  
 Monogyny, 334, 336  
 Morphogenesis, 89-109  
 Morphometrics, 415-38  
 Morphs of aphids, 155-74  
 Mortality rates of tsetse, 202-8, 211  
 Mosquitoes and receptors, 275, 277, 284  
 mRNA, 391-92  
*Muellerianella*, 310  
*brevipennis*, 312  
*fairmairei*, 312  
 Multiple acquisition of viruses, 71-88  
 Multivariate analysis, 416-17, 430-31  
*Musca*, 226  
*autumnalis*, 423-24, 428  
*domestica*, 423, 425, 428  
*Muscidifurax raptor*, 395  
*Muscina*, 146  
*stabulans*, 145  
 Muscles, 102  
 Mutations in aphids, 155-56, 168  
 Mutualism, 321  
 Mycetocytes, 36-38, 41, 43, 46  
 Mycoplasmas, 71, 76-77, 82-84  
 Myoblasts, 90-91  
 Myofibrils, 102-3  
 Myopocus, 181  
*Myrmecocystus americanus*, 330  
*Myrmica*, 331, 334  
*rubra*, 330  
*Myzus persicae*, 73-74, 78, 80, 156-60
- N**
- Nagana, 197  
*Nahabattella nahua*, 32  
*Nasonia vitripennis*, 100, 102, 141, 395-98, 400-1  
 Natural selection, 219  
 Nematodes  
 and genetic engineering, 65, 71, 76, 80  
 and hormones, 372  
 and morphometrics, 425  
 and reproduction, 389  
 and viruses, 76, 80  
*Neodiprion abietis*, 218  
*Neoplectana carpocapsae*, 65  
 Nephrotetix  
*cincticeps*, 80  
*impicticeps*, 76  
*nigropictus*, 80, 311-13  
*virescens*, 80, 311-13  
 Nerolidol, 19  
 Nerve axons, 92, 98  
 Neryl formate, 2  
 Neuroblasts, 98  
 Neurohormones, 67  
 Neurons, 92, 98  
 Neuropeptides, 12, 52, 66  
 Neuroptera and psocids, 177  
 Neurosecretion, 12, 15, 17  
 Neurosecretory cells, 388-89  
*Nilaparvata lugens*, 222, 225, 305, 308, 310-14  
 Nitrogen excretion, 29-49  
 Nitrophenol, 5, 7, 17  
*Nomuraea rileyi*, 60  
 Nonpersistent viruses, 73, 77-78, 80  
 Nonpreference, 220  
*Nothopocus*, 184  
*Notiophilus*, 284  
*Notiopocus*, 179  
 Nuclear polyhedrosis viruses, 60-63  
 Nucleic acid and hybridization, 58  
 Nucleocapsids, 61, 79  
 Numerical taxonomy, 427, 429  
 Nuptial flight, 330
- O**
- Ocean striders, 111-35  
 Ocelli, 97

- Oecophylla longinoda*, 329, 331, 333  
*Oenocytes*, 93, 95, 102  
*Olfactory receptors*, 17, 275, 278, 290  
*Ommatidia*, 97  
*Oncopeltus*, 102  
*Oncopsis*, 311  
   *avellanae*, 224, 306  
   *flavicollis*, 224  
*Oocytes*, 388–89, 397  
*Ooencyrtus kuwanai*, 395  
*Oogenesis*, 156  
*Oothecae*, 33–34, 38, 44–46  
*Ophthalmopone berthoudi*, 336  
*Opius*, 403  
   *concolor*, 374, 377  
   *kimidatus*, 395  
   *melleus*, 374  
*Optic lobes*, 98  
*Organophosphates*, 355–64  
*Ornithodoros*, 8, 17, 22  
   *concanensis*, 3  
   *erraticus*, 19  
   *moubata*, 18  
   *porcinus*, 18  
   *tholozani*, 19  
*Osmolality*, 381  
*Osmoregulation*, 29–30, 39–40, 129  
*Ostrinia nubilalis*, 374, 382  
*Ovarioles*, 104, 163–66  
*Oviposition*, 227, 265, 320  
*Oxodecenoic acid*, 332–33
- P**
- Paedogenesis*, 155  
*Pales pavidus*, 394  
*Palistrepus*, 187, 189–90  
*Panonychus ulmi*, 2  
*Papilio demodocus*, 224  
*Parabiosis*, 377  
*Paracacilius*, 181  
*Paraginathus*, 347  
*Parahaploidy*, 349, 351  
*Parapolybia*, 323–24  
   *indica*, 324  
*Parasites*  
   and hormones, 371–413  
   of proctids, 177  
   and reproduction, 389  
   of tsetse, 206  
*Parasitic castration*, 388  
*Parasitism and morphometrics*, 425  
*Parathion*, 348, 354–55, 359–60  
*Paravespula*, 326, 333, 335  
   *vulgaris*, 326  
*Parcoblatta*, 31–32, 36, 38–41, 45–46  
   *fulvescens*, 32, 36, 38–39, 45–46
- Pars intercerebralis*, 388–89  
*Parthenogenesis*  
   in acarines, 349  
   in ants, 330  
   and genetic variance, 220, 424  
   in proctids, 180  
*Pathogens of stored-product insects*, 268  
*Pea aphid*, 73–74, 158–59  
*Pediculus*, 430  
   *capitis*, 147  
   *humanus*, 147  
*Pelargonic acid*, 5  
*Pemphigus*, 160, 163  
   *bursarius*, 163  
   *populiculus*, 424  
   *populitransversus*, 424  
*Pentacladus*, 185  
*Peptide hormones*, 372, 376, 379–80, 385, 403  
*Perigrinus maidis*, 82  
*Periphyllus testudinaceus*, 163  
*Periplaneta*, 97–98  
   *americana*, 29–31, 34–35, 37, 40, 42, 46, 144  
*Peripsocus*  
   *didymis*, 191  
   *juniperi*, 189  
   *nitens*, 184  
   *phaeopterus*, 191  
*Peritrophic membrane*, 452  
*Permethrin resistance*, 352, 356, 358–63  
*Persistent viruses*, 73, 78, 81  
*Pesticides and Phytoseiidae*, 348–49, 353–56  
*Phaenicia sericata*, 151  
*Phagocytosis*, 93  
*Phanerotoma flavitesta*, 392  
*Phase polymorphism*, 415  
*Phasia subcoleoptera*, 382  
*Pheidole*, 206, 329–30  
   *pallidula*, 330  
*Phenols*, 7, 17, 23  
*Phenotypic variation*, 426  
*Pheromone receptors*, 96, 99  
   traps, 257–72  
*Pheromones*  
   and Acari, 1–28  
   and castes, 325, 327–28, 330–36  
   and cicadas, 309  
   and stored-product insects, 257–72  
*Phigalia titea*, 221  
*Philanaemus*, 124  
*Philotarsus*, 179  
   *pivicornis*, 176  
*Phococera floridensis*, 375  
*Phoresy*, 224  
*Phospholipids*, 130
- Photoperiod*  
   and aphids, 159, 166  
   and diapause, 223, 373  
   and Phytoseiidae, 354  
*Photoreceptors*, 285  
*Phyryx pecosensis*, 394  
*Phytoecosteroids*, 402  
*Phytoseiidae*, 345–70  
*Phytoseiulus*, 348–52, 354–55, 359–60  
   *persimilis*, 2, 348–52, 354–55, 359–60  
*Phytoseius*, 347–48  
   *amba*, 348  
*Pieris*, 104  
   *brassicae*, 374, 376, 384–85, 391  
   *rapae*, 225, 374, 394, 398  
*Piesma quadratum*, 77  
*Pigmentation and parasitism*, 386  
*Pimpla turionella*, 383, 387–88  
*Pink bollworm*, 401–2  
*Piophilina*  
   *casei*, 146  
   *nigriceps*, 144  
*Pirimicarb*, 359–60  
*Piroplasma*, 439–60  
*Plagiopiles pygmaea*, 330  
*Planthoppers*  
   and acoustic signals, 305, 307–8, 310  
   and viruses, 75  
*Plant viruses*, 71–88  
*Plasmid DNA*, 58  
*Plastron*, 128  
*Plate tectonics*, 178–79  
*Platypleura capitata*, 301  
*Plecia nearctica*, 150  
*Pleiotropy*, 220, 230  
*Pleometrosis*, 324  
*Ptodia interpunctella*, 259, 261, 263–65, 267  
*Ploidy*, 94–95  
*Podisma pedestris*, 430  
*Polemone liparea*, 383  
*Polistes*, 324, 334, 383, 388, 424  
   *canadensis*, 322  
   *chinensis*, 323  
   *exclamans*, 322–23  
   *fuscatus*, 322–23, 333  
   *gallicus*, 323, 383  
*Follen*  
   and Phytoseiidae, 346, 353  
   and proctids, 176, 191–93  
*Polydomy*, 330–31  
*Polygyny*, 324, 327, 334–36  
*Polyhedrin*, 62–63  
*Polymorphism*, 415, 422, 428, 430  
   in aphids, 155–74



- and genetic variation, 219,  
221, 223-24, 227-29  
in psocids, 178  
Polypeptides, 65-67  
Polyploidy, 94-95, 97, 99-102  
Polypocus, 183  
Polyunsaturated fatty acids, 130  
Population ecology of tsetse,  
197-216  
Population genetics, 218  
of Phytoseiidae, 356-57  
Porthetria dispar, 394-95  
Precocenes, 375, 396, 400-1  
Precocious  
differentiation, 98  
metamorphosis, 378, 387,  
392, 401  
Predatory mites, 2, 345-70  
Primordia, 90, 93, 96-97, 100-  
1, 104-5  
Progesterone, 390  
Pronotopocus, 179  
Propagative viruses, 74, 76, 81  
Propargite, 364  
Propoxur, 356, 359  
Propocus, 185  
Prospaltella perniciosi, 396  
Prostephanus truncatus, 258,  
262  
Protein synthesis, 95  
Proteins and parasitism, 390-  
92  
Proteolysis, 93  
Prothoracic glands, 102, 372,  
376, 379, 385-86, 398,  
403  
Protophormia terraenovae, 144  
Protoxins, 57-58  
Protozoa  
and babesiosis, 439-60  
and hormones, 372  
Pseudoparasitism, 387  
Pseudopocus rostocki, 193  
Pseudoregma, 162  
Psithyrus, 429-30  
ashtoni, 333  
Psococerastis, 186  
Psocoptera, 175-96  
Psoculus, 181  
Ptenopsila, 184-85  
delicatella, 185  
Pteridines, 30  
Pthirus pubis, 147  
PTTH, 372, 376, 379-80, 385,  
403  
Ptycta, 181, 186-87  
Pulex irritans, 149  
Puparia of tsetse, 197  
Puparium formation, 377  
Purines, 30, 35, 43  
Pyrethroids and Phytoseiidae,  
356, 358  
Pyrrhocoris apterus, 281
- Q  
Quadraspidotus perniciosus, 396  
Quantitative genetics, 423  
Queen control, 322-23  
Queens and eusociality, 322-23,  
325-26
- R  
R-20458, 394-95  
Races, 357, 424  
Receptors, 16-18, 96, 99, 273-  
75  
Recombinant DNA, 51-52, 55  
Rectum, 29  
Reflexes and walking, 245  
Regeneration, 91  
Regulation of walking, 239-56  
Reproduction  
in eusocial Hymenoptera,  
319-43  
and parasitism, 389, 393, 403  
regulation of, 319  
Reproductive  
incompatibility, 351-53, 357  
isolation, 218  
system, 104  
Reserpine, 12  
Reservoir  
competence, 449  
hosts, 449, 451  
Resistance of Phytoseiidae, 348-  
49, 353-64  
Resources and genetic variation,  
217-38  
Restriction enzymes, 57, 62  
Reticulitermes flavipes, 43  
Reuterella, 190  
helvimaculata, 191, 193  
Rhabdovirus, 74, 77  
Rhagodotarus kraepelini, 127  
Rhagoletis, 221  
pomona, 374  
Rheumatobates, 130  
aestuarius, 125, 131  
Rheumatometroides, 112  
Rhipicephalus  
appendiculatus, 3, 7, 17  
pulchellus, 7  
Rhodnius, 95, 101-2  
prolixus, 275, 285  
Rhopalosiphum  
maidis, 79  
padi, 79  
Rhopalum claviceps, 177  
Rhythmic movements, 250  
Rhytidoponera impressa, 336  
Riatia, 32  
Rickettsiae, 77, 84, 350, 353  
RNA, 64, 80, 95, 385, 391-92  
RO13-5223, 394, 396, 400  
RO-20-3562, 396
- RO-20-3600, 396  
Rocky Mountain spotted fever,  
448  
Roessleria, 184  
Ropalidia, 323
- S  
Saissetia  
coffae, 395  
oleae, 396  
Salivary glands, 99, 453  
Samia, 104  
Sampling of tsetse, 200-10  
Sarcophaga bullata, 395-96, 398  
Sarcophagids, 141, 145  
Sarcoptes scabiei, 148-49  
Scale insects, 223  
Scarabaeids, 145  
Scatella arizonensis, 423, 428  
Schistocerca, 101  
Schizaphis graminum, 158  
Scolopidium, 284  
Sea skaters, 111-35  
Selection of Phytoseiidae, 365  
Semiocchemicals and Acari, 1-28  
Semiophis liturata, 380  
Semipersistent viruses, 73, 78  
Sense organs and walking, 244-  
53  
Sensilla, 16-18, 95-97, 273-95  
basiconica, 275  
coeloconica, 275  
styloconica, 275  
trichodea, 275  
Sensillum  
capitulum, 275, 282  
coelocapitulum, 275  
Sepsids, 145  
Serratia marcescens, 64  
Serricornin, 259, 262  
Sex  
determination, 350-51  
hormones, 390  
pheromones, 5-8, 12-16,  
257-72, 333  
ratio, 156, 211, 313, 345,  
350-51, 353, 364, 399  
Sexuparae, 156  
Shawella, 31  
Sibling species, 224, 310  
Silk, 5-6, 100, 151  
glands, 99  
Silkworm, 373, 375, 390, 402  
Simulium damnosum, 428  
Sitobion avenae, 79  
Sitophilae, 259, 262  
Sitophilus, 259-62, 265  
granarius, 261  
oryzae, 260-62  
zeamais, 260, 262  
Sitotroga cerealella, 260, 263  
Sleeping sickness, 197, 210



- Social castes, 430  
*Sogatella furcifera*, 310  
 Soldier morphs, 162  
*Solenopsis*, 329, 336  
   *gelminata*, 149  
   *invicta*, 330, 334, 336  
 Sound production, 297, 317  
 Speciation, 217, 228–30, 309, 311–14  
*Speophyes lucidulus*, 275, 283, 285, 287, 289–91  
 Sperm, 104, 127  
   transfer, 441  
 Spermatogenesis, 165, 349, 385, 389  
 Spermatophores, 8, 18, 20, 32, 33  
*Sphaeropsocus*, 178  
*Sphaeropsocus*, 178  
 Spider mites, 2, 5, 19, 345–46, 361–62, 364  
 Spiders  
   and morphometrics, 427  
   and psocids, 176  
*Spilopsocus*, 185  
*Spirochetes* and Lyme disease, 446, 452–53  
*Spiroplasma*, 76–77, 83  
 Spodoptera, 398  
*frugiperda*, 62  
*littoralis*, 382  
 Sporozoites of *Babesia*, 451, 453, 455  
 Spotted alfalfa aphid, 156, 158  
 Spurostigma, 183  
*Stegobium paniceum*, 260, 265  
 Steleopa, 183  
*Stelidota geminata*, 383  
 Sternmata, 97  
 Stenobates, 112  
 Sterile males, 198, 209–10  
 Stick insects  
   and receptors, 275  
   and walking, 242–43, 245–50, 252  
 Sting of queens, 329  
*Stomoxys calcitrans*, 395  
 Stone flies and morphometrics, 427  
 Stored-product insects, 257–72  
 Strains of *Phytoseiidae*, 357–58, 364  
 Stratiomyids, 145  
 Stridulation, 298–99, 303, 431  
 Stylops, 383  
 Sulfur and *Phytoseiidae*, 353  
 Supernumerary instars, 378, 384, 397  
 Swarming, 327–28, 334–35  
 Symbionts, 36–37, 40–41, 43–45, 353  
 Sympatric speciation, 217, 228–30, 310
- Symploce, 31  
 Syncytia, 91  
 Systematics and morphometrics, 429–31
- T
- Tapinella*, 178  
*Tarsophallus*, 179  
 Taxonomy of *Halobates*, 115–17  
 TDA, 259, 263–64  
 TDO, 263  
*Telenomus heliothidis*, 375  
*Telogyllus*, 103  
*Temnothorax recedens*, 330–31  
 Temperature receptors, 273–95  
*Tenebrio*, 94, 102, 284, 391  
   *molitor*, 286  
 Termites, 102, 175  
 Terpenoids, 23  
 Testosterone, 390  
*Tetramorium*, 329  
*Tetranychus*  
   *cinnabarina*, 19  
   *urticae*, 2, 5, 19, 222, 225, 346, 362  
*Tetraopes*, 221  
*Tetrastichus ceroplastae*, 396  
 Thecogen cells, 284  
*Thelytoky*, 330–31, 348–49, 351, 424  
*Thera obeliscata*, 380  
*Therioaphis trifolii*, 156, 158  
 Thermoreceptors, 17–18, 273–95  
 Thylacella, 181  
 Tibicina, 301  
 Ticks, 1–28, 287, 290–91, 439–60  
*Tinea pallescens*, 147  
 Toxins, 227  
 Toxoptera, 299  
 Tracheoles, 92, 95  
 Transcapsidation, 79–80  
 Transdetermination, 92  
 Translocation in aphids, 160  
 Transmission of viruses, 72–82  
 Transovarial transmission, 453–54  
 Transstadial transmission, 453  
 Trapping  
   stored-product insects, 257–72  
   tsetse, 200–10  
*Trehalose*, 380, 384, 390  
 Triangle gait, 240, 242, 244, 249  
*Triatoma*, 100  
   *infestans*, 275, 285, 287  
*Tribolium*, 226, 258, 265  
   *castaneum*, 260, 262, 267  
   *confusum*, 260, 262  
*Trichadenotecnum*, 190  
*Trichocera*  
   *annulata*, 140  
   *saltator*, 140
- Trichogramma cacaeciae*, 373, 375  
*Trichophasia ni*, 372, 374, 382, 384–85, 387, 391–92, 394, 400–1  
*Trichopoda pennipes*, 382  
*Triglycerides*, 130  
*Trigona*, 329  
   *laeviceps*, 328  
*Triptene*, 395  
*Troctopocopsis*, 183  
*Troglodromus bucheti*, 285  
*Trogoderma*, 258  
   *glabrum*, 260, 264–66, 268  
   *granarium*, 260, 262, 265–67  
   *inclusionum*, 260, 265  
   *variable*, 260, 265  
 Trophic eggs, 330  
 Trophocytes, 36  
*Trox*, 145  
*Trypanosomiasis*, 197, 211  
 Tryptophan, 30  
 Tsetse, 197–216  
 Tymbals, 298–302, 304, 309  
*Typhlodromus*, 347  
   *arboreus*, 351  
   *caudigians*, 353  
   *chazeaui*, 348  
   *citri*, 351  
   *gutierrezii*, 348  
   *rickeri*, 354  
   *pyri*, 354–55, 359–60  
*Tyrophagus putrescentiae*, 2
- U
- Univariate analysis, 417, 430  
 Urate  
   cells, 41, 101  
   pellets, 31–32, 38, 44–45  
 Urates, 29–49  
 Urea, 30  
 Uric acid, 30–31, 33, 36–38, 40–41, 43, 45–46, 101  
 Uricose glands, 38, 44  
 Urine, 29, 45  
 Urocytes, 36–37, 42, 44  
*Urophora solstitialis*, 383  
*UV* and *Halobates*, 130
- V
- Vector competence, 451–52, 454  
 Vector-dependent prokaryotes, 71–88  
 Vector specificity, 79  
 Vectors  
   for *babesiosis*, 439–60  
   for Lyme disease, 439–50  
*Ventidius*, 128  
*Venturia canescens*, 374, 376, 381  
*Veromessor pergandei*, 427

# 470 Subject Index

*Vespa*, 326, 333  
*orientalis*, 333  
*Vespula*, 326  
 Viruses  
   and genetic engineering, 55,  
   60-63  
   multiple acquisition of, 71-81  
   and parasitism, 393, 403  
   and Phytoseiidae, 350  
   transmission of, 159  
*Vitellogenesis*, 104, 371, 388-  
   89, 397  
*Vitellogenin*, 101, 388-89

## W

Walking, regulation of, 239-56  
*Warramba virgo*, 424

Wasps  
   and eusociality, 326-28,  
   333  
   and juvenoids, 399  
   and morphometrics, 424  
   and psocids, 177

Water balance, 29

Wing  
   dimorphism, 181  
   discs, 92, 96-97, 103  
   expansion, 105  
   length, 428  
   and morphometrics,  
   429  
   muscles, 166  
   pads, 96-97, 104

Worker caste, 320, 425

Workers and eusociality, 325-  
   26

## X

*Xanthine*, 43  
*Xenorhabdus*, 65  
*Xenos vesparum*, 383, 388  
*Xestoblatta hamata*, 33, 46  
*Xiphinema americanum*, 76  
*Xyleborus ferrugineus*, 424  
*Xylecopa tabaniformis*, 419

## Y

*Yponomeuta padellus*, 218, 225

## Z

*Zeiraphera diniana*, 224  
 Zoogeography of Psocoptera,  
   175-96  
 ZR 619, 394-95

